

BLACKBERRY RADAR – L ITB100 – 1 May 2019



Safety information

Before you start using the BlackBerry Radar-L[™] device (herein after referred to as device), review the safety and regulatory information provided in this document. Keep this document in a safe place so that you can refer to it whenever you need it.

In some countries there may be restrictions on using wireless devices with encryption software. Check with your local authorities for the restrictions in your area.

To find the latest safety and product information, visit *docs.radar.blackberry.com/quides/user quide safety*.

	Do not use the device near medical devices, including pacemakers and hearing aids, because they might malfunction and cause serious harm or death to you or others.
	Do not dispose of the device, or battery, in a fire because this might cause an explosion resulting in serious injury, death, or property loss.
	The device is designed to be operated in temperatures between -40 and 185°F (-40 and 85°C) and 0-100% humidity. Store device in temperatures between 14 and 86°F (-10 and 30°C) and 0-50% humidity. Do not expose the device to temperatures above 212°F (100°C).
	Use of the device outside of the recommended temperature range could cause damage to the device or lithium-metal battery.
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Do not submerge the device in water. The battery should never be exposed to water.

### Important safety precautions

X	Do not puncture, crush, or expose battery to severe physical shock. Do not attempt to disassemble battery pack. Do not short-circuit the battery or allow metallic or conductive objects to contact the battery terminals.
	The device is not intrinsically safe and should not be used in the presence of explosive fumes, explosive dust, or other explosive chemicals. Sparks in such areas could cause an explosion or fire resulting in serious injury, death, or damage to property.

### **Battery safety**

The device contains a non-rechargeable, lithium metal battery. Do not attempt to recharge the battery.

The battery might present a fire, explosion, chemical burn, or other hazard if mistreated. Do not put the battery in contact with liquids. Do not heat the battery above 212°F (100°C). Heating the battery above 212°F (100°C) could cause the battery to catch fire or explode.

### Antenna

Use only the supplied integrated antenna. Unauthorized antenna modifications or attachments could damage the device and might violate U.S. Federal Communications Commission (FCC) or other regulations.

### Repair

Do not attempt to modify, disassemble, or service the device. Do not attempt to recharge the battery. Only qualified service personnel should perform repairs to the device.

Failure to observe all safety instructions contained in the user documentation for the device will void the Limited Warranty and might lead to suspension or denial of services to the offender, legal action, or both.

# Device and battery disposal

X	Do not dispose of the device, or battery, in household waste bins or in a fire.
	The Lithium Metal Batteries in BlackBerry Radar can pose risk of fire, explosion and severe burn hazard if mishandled or damaged. These batteries should never be placed in regular waste and must be recycled through appropriate e-waste or battery recycling channels. Ensure you dispose of your BlackBerry Radar device and its battery in accordance with the laws and regulations in your area. If you have an <b>existing waste</b> <b>management partner</b> , please consult with them regarding disposal, or visit <u>BlackBerry.com/RadarSupport</u> for more information.
	Refer to the <u>BlackBerry Radar Battery Information Sheet</u> for details on dimensions, weight, and Lithium content per battery. Safety Data Sheets can be provided upon request.

Use only the supplied integrated antenna. Unauthorized antenna modifications or attachments could damage the device and might violate U.S. Federal Communications Commission (FCC) or other regulations.

# **Compliance information**

### Exposure to radio frequency signals

The device radio is a low-power radio transmitter and receiver. It is designed to comply with The Council of the European Union guidelines and limits, as well as other relevant international guidelines regarding safety levels of radio frequency exposure for wireless devices. These guidelines were developed by independent scientific experts, governments, and organizations including the Institute of Electrical and Electronics Engineers Standard (IEEE), National Council on Radiation Protection and Measurements (NCRP), and International Commission on Non-Ionizing Radiation Protection (ICNIRP).

*This device complies with FCC, ISEDC, EU, and other relevant international radio frequency exposure guidelines and limits, at minimum separation distance of 7.9 inches or (20 cm).* 

### EU regulatory conformance

BlackBerry hereby declares that this device is in compliance with the essential requirements and other relevant provisions of Radio Equipment Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address: <u>docs.radar.blackberry.com/quides/user_quide_conformity</u>.

### Additional regulatory conformance

Specific details about compliance to the standards and regulatory bodies for the device may be obtained from BlackBerry.

## Product information: BlackBerry Radar™ ITB100-1

### Mechanical properties:

Weight: approximately 25 oz (700 g) including lithium-metal battery

Size: (L x W x H): 6.8 x 4.6 x 2 in. (173 x 117 x 52 mm)

Power specifications:

Non-rechargeable lithium-metal battery

10.8V, 13Ah nominal

### Mobile network radio specifications:

LTE band support: None HSPA+ band support: UMTS B1, UMTS B2, UMTS B5, UMTS B19, UMTS B8 GSM Band: GSM850, GSM900, GSM1800, GSM1900 GSM Power Class: Class 1 (DCS1800, PCS1900), Class 4 (GSM850, GSM900) UMTS Power Class: Class 3 (UMTS B1, UMTS B2, UMTS B5, UMTS B19, UMTS B8) Transmitter frequency: 1920MHz to 1980 MHz, 1850MHz to 1910MHz, 824MHz to 849MHz, 830MHz to 845MHz, 880MHz to 915MHz Receiver frequency: 2110MHz to 2170MHz, 1930MHz to 1990MHz, 869MHz to 894MHz, 875MHz to 890MHz, 925MHz to 960MHz

### **Power class information:**

Output power is compliant with 3GPP TS 34.121-1 and 3GPP TS 51.010-1.

WCDMA/HSDPA/HSUPA power class

• Power Class 3 (24 dBm) for WCDMA/HSDPA/HSUPA mode

GSM/GPRS power class

- Power Class 4 (33 dBm) for GSM/E-GSM bands
- Power Class 1 (30 dBm) for DCS/PCS bands

EDGE power class

- Power Class E2 (27 dBm) for GSM/E-GSM bands
- Power Class E2 (26 dBm) for DCS/PCS bands

# Legal notice

©2019 BlackBerry. All rights reserved. BlackBerry[®], BlackBerry Radar[™], and related trademarks, names and logos are the property of BlackBerry Limited and are registered and/or used in the U.S. and countries around the world. CTIA - The Wireless Association is a trademark of CTIA - The Wireless Association. LTE and UMTS are trademarks of European Telecommunications Standards Institute (ETSI). All other trademarks are the property of their respective owners. This documentation including all documentation incorporated by reference herein such as documentation provided or made available on the BlackBerry website is provided "as is" and without condition, endorsement, guarantee, representation or warranty, or liability of any kind by BlackBerry Limited and its affiliated companies, all of which are expressly disclaimed to the maximum extent permitted by applicable law in your jurisdiction.

The terms of use of any BlackBerry product or service are set out in a separate license or other agreement with BlackBerry applicable thereto. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS OR WARRANTIES PROVIDED BY BLACKBERRY FOR PORTIONS OF ANY BLACKBERRY PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION.

BlackBerry Limited 2200 University Avenue East Waterloo, Ontario Canada N2K 0A7

BlackBerry UK Limited Ground Floor, The Pearce Building, West Street Maidenhead, Berkshire SL6 1RL United Kingdom

**Published in Canada**